

# EPOXY FLOOR COATING

## *Chemical & Abrasion Resistant Epoxy Floor Coating*



---

### CAUTIONARY INFORMATION:

---

**1. DO NOT USE THIS PRODUCT BEFORE READING THE MATERIAL SAFETY DATA SHEET. DO NOT TRANSFER TO UNMARKED CONTAINERS. FOR INDUSTRIAL AND PROFESSIONAL USE ONLY. KEEP OUT OF REACH OF CHILDREN.**

**2. CAUTION:** Follow all cautionary information contained on **21-15 EPOXY FLOOR COATING MIX A** and **21-15 EPOXY FLOOR COATING MIX B** labels and MSDS sheets.

#### IMPORTANT:

**MATERIAL IN THIS CONTAINER IS NOT READY FOR USE.  
FOLLOW MIXING DIRECTIONS BELOW BEFORE USING.**

**EPOXY FLOOR COATING** is a special epoxy formulation that stands up and provides an easy to maintain surface. Ease of application and excellent coverage make **EPOXY FLOOR COATING** the economical solution to any floor coating problem.

---

### SURFACE PREPARATION

---

Surfaces must be clean, dry and free of dust, grease and oil.

On Ceramic Tile, Metal and other Non-Porous Surfaces: Remove all traces of grease and oil by wiping down with rags soaked in Toppsol 100 and wipe dry with a clean cloth.

On Concrete: Dampen surface with water and scrub down with a mild solution of muriatic acid (one part acid and two parts water). When acid stops bubbling, rinse thoroughly with clean water and allow to dry completely.

On Wood: Surfaces should be sound and free of dirt or dust.

On Rusted or Exterior Metal: Sandblast, wire brush or acid etch to remove rust, scale, and any grease or oil residue. Apply Zinc Primer before applying **EPOXY FLOOR COATING**.

On Previously Painted Surfaces: Test a small patch of **EPOXY FLOOR COATING** in an inconspicuous area. If old paint softens or lifts, **DO NOT PROCEED UNTIL IT HAS BEEN COMPLETELY REMOVED**. If old paint is unaffected by **EPOXY FLOOR COATING**, scrape off all loose flakes, wash the surface with a 10% solution of trisodium phosphate, rinse thoroughly with clean water, and allow to dry completely. Touch up bare spots with **EPOXY FLOOR COATING**, and allow to cure before coating the entire surface.

---

Recommendations for the use of this product are based on reliable tests. No guarantee of results are implied where conditions are beyond our control. Under no circumstances or conditions, either expressed or implied, will the manufacturer be liable for damages in excess of the purchase price of this product.

---